

# Ecosense Catalogue 2023



[www.bintangsejatiprima.com](http://www.bintangsejatiprima.com)



# ABOUT ECOSENSE

**ECOSENSE HAND SHOWER** is an environmentally friendly product because it saves water.

In order to become a water-saving product, it must obtain approval from the EPA (Environmental Protection Agency), which is an organization in the USA that is tasked with controlling air, water use and waste in the USA.

The requirements for obtaining EPA approval that ECOSENSE products are water saving are:

1. The water that comes out of the shower is between 1.6 to 2 gallons per minute
2. The water that comes out must be equal to the water pressure of 20 psi, 45 psi, or 80 psi.
3. The water pressure that comes out must be a minimum of 2 ounces or 0.56 Newton at a pressure of 20 psi.

The water pressure that comes out must be even and cover the body so that the pleasure of bathing is fulfilled.

Note: 1 gallon of water = 3.8 liters, so the water that comes out cannot be more than 2 gallons x 3.8 liters = 7.6 liters of water. 1 bar = 15 psi

## ECOSENSE PACKAGING

Water-saving products that meet these requirements must include 3 things on their packaging, namely:

- a. watersense logo
- b. amount of water coming out = 2 gallons
- c. UPC logo (Unify Plumbing Code)





## TABLE OF CONTENTS

---

### **ECOSENSE® SHOWERS**

**1-3**

- **HAND SHOWER ONLY;**
- **HANSHOWER WITH HOSE.**

### **ECOSENSE® SHOWERS HOSES**

**4-7**

- **SHOWER FLEX HOSES;**
- **SHOWER HOSES PVC MYLAR;**
- **SHOWER ELASTIC HOSES;**
- **SHOWER PVC REINFORCED HOSES.**



**ECOSENSE® SHOWERS**

# HAND SHOWER ONLY

## ES0104



5F Handshower,  
4" Face Diameter

## ES0108



3F Ultra Thin  
Hand Shower

## ES0106



4F Smart  
Handshower

## ES0112



3F Square Shape Hand  
Shower

### FLOW VOLUME 2.0 GPM

- EPA Watersense Compliant;
  - Suitable For High Water Pressure;
  - Self Cleaning nozzles resistant to debris;
  - Flow limiter.
- 
- Spray;
  - Aerated;
  - Massage;

# HANDSHOWER WITH HOSE

## ES0102K



3F Handshower  
1,5 m Hose

## ES0105K




1F Unique  
Handshower, 1,5  
m Hose

## ES0103K



1F Handshower  
1,5 m Hose

## ES0106K



4F Handshower, 1,5 m  
Hose

## ES0104K



5F Handshower,  
4" Face Diameter,  
1,5 M Hose – Set

## ES0108K



3F Ultra Thin Hand  
Shower Kit, 1,5MM SS  
Hose

### FLOW VOLUME 2.0 GPM

- EPA Watersense Compliant;
  - Suitable For High Water Pressure;
  - Self Cleaning nozzles resistant to debris;
  - Flow limiter.
- 
- Spray;
  - Aerated;
  - Massage;



**ECOSENSE® SHOWER HOSES**

# SHOWER HOSES

## SHOWER FLEX HOSES

### ES1101



Flex Hose SS304  
double lock 1,2M

### ES1104



Flex Hose SS201 double  
lock 1,2m

### ES1105



Flex Hose SS201  
double lock 1,5m

### ES1106



Flex Hose SS201 double  
lock 1,75m

#### FLOW VOLUME 2.0 GPM


- EPA Watersense Compliant;
  - Suitable For High Water Pressure;
  - Self Cleaning nozzles resistant to debris;
  - Flow limiter.
- 
- Spray;
  - Aerated;
  - Massage;



# SHOWER HOSES

## SHOWER HOSES PVC MYLAR

### ES1201



PVC Mylar Hose  
1,2m

### ES1202



PVC Mylar Hose  
1,5m

### ES1203



PVC Mylar Hose  
1,75m


#### FLOW VOLUME 2.0 GPM

- EPA Watersense Compliant;
  - Suitable For High Water Pressure;
  - Self Cleaning nozzles resistant to debris;
  - Flow limiter.
- 
- Spray;
  - Aerated;
  - Massage;

# SHOWER HOSES


## SHOWER ELASTIC HOSES

### ES1002



Elastic Hose  
SS304 double  
lock 1,5m

### ES1003



Elastic Hose SS304  
double lock 1,75m

## SHOWER PVC REINFORCED HOSES

### ES1501




PVC Reinforced  
Hose 1,2m

### ES1502



PVC Reinforced Hose  
1,5m

### ES1503



PVC Reinforced  
Hose 1,75m

#### FLOW VOLUME 2.0 GPM

- EPA Watersense Compliant;
- Suitable For High Water Pressure;
- Self Cleaning nozzles resistant to debris;
- Flow limiter.
  
- Spray;
- Aerated;
- Massage;